





Executive Summary

The Climate Vulnerability and Risk Assessment Study (CVRA) describes the scope of Kelowna's community adaptation challenge by modelling the natural and built hazard risks and vulnerabilities to existing buildings, infrastructure and people, and planned growth, out to 2070. As the climate changes, Kelowna must be prepared with adapted and resilient city systems and infrastructure to protect people and ecosystems, and to enable speedy recovery after severe climate events. At the same time, Kelowna's population is growing, requiring new buildings and infrastructure. Decisions as to how and where these elements are constructed must be informed by climate change impact adaptation thinking.

This analysis, together with the GHG Modelling Study completed earlier, will help inform the Climate Resilient Kelowna Strategy which will include a series of actions the community can undertake to reduce GHG emissions and prepare to adapt to climate change.

Expected Local Climate Changes

Human-caused climate change is already affecting the local climate, causing heat domes, droughts, wildfires and flooding. The *Climate Projections for the Okanagan Region* (2020) report models the local changes the Okanagan climate is expected to experience in the coming decades including:

- Warmer temperatures year-round;
- Summers that are considerably hotter and drier;
- Increased duration of the growing season;
- Warmer winter temperatures;
- Increased precipitation across all seasons except summer; and
- Shifting seasons.

These expected changes will result in wilder, wetter, and weirder weather. The weather will be increasingly unpredictable and events like winter

storms, droughts, flooding, and wildfires will be more common and more severe.

These climate change impacts pose a threat to ways of life in Kelowna. They will interrupt electricity delivery and personal and freight transportation activities. They will cause damages to personal and public properties. They will interfere with tourism and agricultural industries. As greenhouse gas emissions continue to increase, the severity and frequency of disruptions will worsen.

Demographic Changes

Kelowna's climate change challenges will continue to grow as the city grows. The city's population could reach almost 250,000 people by 2070, an increase of 100,000 people from today. It is anticipated that it will require nearly 50,000 additional dwelling units to accommodate the increase in population. The homes, buildings, infrastructure, and vehicles required to house and move more people will add pressure to the natural ecosystems that regulate the local climate.

Climate Change Hazards and Impacts

The CVRA examines climate hazards today and in 2070. Although a time span ending in 2070 is longer than typical community planning guidelines, it is used as climate projections typically extend to this time horizon or beyond, with the largest changes typically projected to happen towards the end of the time span. Further, many of the decisions made in the shorter term will determine the scale of risk the community will face in the future.

Three climate hazards were quantitively assessed: extreme heat, wildfire, and flooding, by mapping the hazards and modelling their potential impact on Kelowna's people and infrastructure, now and in 2070. Four other hazards were qualitatively

assessed: landslides, water security, invasive species, and extreme cold. The impacts of these hazards to the community are summarized in Table A.

Multi-hazard Indexes

Climate hazards do not occur in isolation. For example, heat waves and wildfires are often simultaneous, coupled with concerns about water security and drought. By combining the relative risk from each of the three quantitatively modelled hazards (extreme heat, wildfire, and flooding), the cumulative risk to different areas of Kelowna can be understood. A risk rating for each of the three hazards for each zone of the city was assigned, these risks were then summed to give a combined hazard risk and are mapped in Figure A for today and 2070. Each of the maps compares the relative degree of risk for each zone of the City. Note that the risk ranking is calculated relative to all other zones, and a high-risk zone in the present day might be a medium-risk zone in 2070 when compared to all zones in each time period.

Over the coming decades, the number of areas of Kelowna that will be exposed to multiple risks due to the changing climate will increase, particularly in the urban and core areas of the city. Notably, most of the urban downtown area is expected to experience increased risk of multiple hazards. Kelowna's rural and suburban neighbourhoods will experience the least multi-hazard risk change over the next 50 years, which bodes well for the neighbourhoods and critical infrastructure located there.

Areas along rivers and the lakeshore will primarily experience increased flood risk. Downtown will also experience flood risk as well as increased heat risk from an enhanced urban heat island effect. Wooded areas and areas adjacent to forests will primarily experience increased forest fire risk.

Some of Kelowna's critical infrastructure is in areas that are expected to experience multi-hazard risk. Reservoirs, distribution stations, treatment plants, and certain electrical/substation elements could be at increased risk of compromise.

Summary


As global atmospheric GHG emissions increase and the climate continues to change, the frequencies and extents of several major climate hazards could impact Kelowna over the next 50 years. Almost every Kelowna neighbourhood is at risk of at least one climate change threat and many of the most populous neighbourhoods are at risk of multiple hazards. Risk is elevated by continued population growth, placing greater numbers of people, buildings, and critical infrastructure in potentially vulnerable areas across Kelowna.


Now that the current and future risks are known, Kelowna can determine adaptation and readiness actions. These actions will be identified and modelled in the next phase of work, defining their costs, damage reduction impacts, and how successful they will be at removing people from risk.

Table A: Summary of potential hazard impacts driven by climate change in Kelowna

				POTENTIAL IMPACTS		
Hazard	Changes to hazard due to climate change	Infrastructure & Critical Infrastructure	Services	People	Environment	Есопоту
	• á average	 á importance of grid 	 á peak electricity 	• á population exposed	• â air quality	 å agriculture crop
	temperatures	stability	demand	to Health Canada heat	 Tree canopy loss 	yields and quality
Extreme	 á heat waves and heat 	 Road and airport 	 á hospitalizations 	thresholds (25% today		 Unhealthy outdoor
Heat	domes	runway deterioration	 á demand for cooling 	to almost 100% in		working conditions
<	 Hotter nights 	and disruptions	centers	2070)		Construction and
		 â hours available for 		 Highest heat risk in 		maintenance sector
		road and		Urban Centres and		disruption
		infrastructure repairs		Core Area		 â tourism in the
				neighbourhoods		summer
	 Drier landscape from 	 Transportation 	 á strain on emergency 	• ~3 times more people	 â tree canopy 	• â tourism
	warmer weather	network disruptions	services	exposed to areas with	 á soil erosion 	 Destroyed crops
	 Longer fire season 	 Electricity grid 	 Contaminated 	potential of high to	 â air quality 	 Unhealthy working
Wildfire	 á wildfire fuel from 	disruptions	drinking water	extreme wildfire	 Ecosystem and 	conditions due to air
	heat stress			behavior	habitat destruction	quality
5				 Hillside development 		
				areas are most		
				exposed to areas of		
				extreme wildfire		
	2 - 12 - 21 - 21 - 21 - 22 - 2	4 - 4 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	T	benavior	1 1	-:
	a total precipitation	 Bridges and collverts at 	• Iransportation	• ~2 times more people	a soil erosion on	• ~25% Increase In
	(all seasons except	risk ot overtopping	network disruptions	at risk of being	stream banks and lake	potential financial
	summer)	during a 200-yr flood	from road closures	impacted by a 200-	foreshore	impact by 2070 during
	 á winter & spring 	event causing road	 Lift stations, water, 	500 year very rare	 á chance of debris and 	a 50-100 year rare
Flooding	temperatures affect	closures	and wastewater	flood event	chemical	flood event
6	peak flows during	 40 critical 	treatment facilities		contaminants in water	
	spring freshet	infrastructure assets	disruptions			
•		at risk during 200-500	 Electricity disruptions 			
		year very rare flood	(e.g electrical			
		event (e.g. City Hall,	substation at risk			
		Hospital, Wastewater	during a 50-100 year			
		Treatment Facility,	rare flood event)			
		and schools)				

				POTENTIAL IMPACTS		
Hazard	Changes to hazard due	Infrastructure & Critical Infrastructure	Services	People	Environment	Economy
	 á severe storms with 	Transportation	Access via roads may	Population within low	Natural landscapes	Financial losses for
Landslides	intense precipitation	network disruptions	be disrupted	slope stability areas	compromised	individuals,
•	can á slope instability.		Contaminated	have higher	åecosystem	businesses, and
	 Drought can 		freshwater	probability of being	connectivity	governments due to
	compromise			exposed to a landslide	 â water quality 	building or
	vegetation health, á			event		infrastructure loss
	slope instability.					
	• á average	 Impacts to water 	 Water supply 	 Residential water 	• âgroundwater	 Agricultural
Water	temperatures	supply and storage	availability for	supply disruptions	recharge due to	production disruption
Security	 â snow pack 		agricultural irrigation	 Water restrictions 	changes in soil during	due water shortages
	 á growing season 		Water supply	enforcement	dry periods can reduce	 Competition for water
	 á in consecutive dry 		availability for		water infiltration	use from users
	days		catastrophic events		â water availability for	
	`		(i.e. wildfire)		ecosystems	
	 á presence of invasive 	 Invasive species can 	 Changes to the 	 áinvasive insects, pose 	• â ecosystem	Agricultural
	species	encourage conditions	regulatory functions	a nuisance risk as well	biodiversity and	production disruption
	 â biodiversity 	that á vulnerability to	of the natural	as a vector-borne	impacting ecosystem	• â natural resource
Cocios	 á influence on other 	other climate hazards	environment will put	disease risk (e.g.	functions	yields
salpado	climate hazards (e.g.	like landslides,	more stress on human	mosquitos carrying		Eco-tourism
وا	wildfire)	flooding, and wildfire	systems (e.g.,	West Nile virus)		disruption
		which all pose	increased need for air			
		substantial risk to	conditioning if the			
		infrastructure	cooling effect of local			
			plants is reduced)			
	 Disrupted polar vortex 	 Water supply (water 	 Transportation 	 Health impacts due to 	 Changes in the frost 	Disruption to outdoor
Extreme	as the polar jet stream	main breaks/leaks)	network disruptions	exposure (windburn,	line	labour (risk of
Cold	shifts further south		(e.g. increased de-	frostbite,	 á potential for freezing 	exposure)
***************************************			icing required)	hypothermia)	rain/ice storms	
*\\\			 á stress on health 	 á demand on energy 	 á iced surfaces 	
			facilities	systems to provide		
				heat		





Figures A (left), B (right). Multi-hazard index and critical infrastructure location, by traffic zone, for flooding, heat, wildfire, and landslide vulnerability for present day (A) and 2070 (B). Each hazard is awarded a score which is based on population affected (per capita) per traffic zone. Score values are within the range from 1 to 5 depending on the quintile the results falls in, where a value of 5 represents the highest population affected (per capita). The final index value is normalized on a scale from 1 (low) to 10